Axo










Technical description

1. Dimensions/Weight



^{*}Dimension measured in accordance with EN 16139 standard

2. Materials/Versions

2.1. Frame

2.1.1. Frame

<u>4-leg frame</u> – made of \emptyset 22 × 2 mm steel tube. Finish options:

- chromium plated (Z),
- powder-coated in alu colour (X),
- powder-coated in black colour (Y).

Available versions: 4-leg, 4-leg with armrests, 4-leg with writing tablet, 4-leg with writing tablet and armrest, 4-leg bench for 2 or 3 persons, with or without armrests. Stacking:

All versions except benches - up to 10 pcs.

2.1.2. Click/link

<u>CLICK AXO J1</u> – fixed steel brackets with black plastic connectors for connecting chairs into rows, dedicated for Axo chairs without arms (AXO 10).

<u>CLICK J1-NRM</u> – fixed steel brackets with black plastic connectors for connecting chairs into rows with numbering application, dedicated for Axo chairs without arms (AXO 10). Numbering to be ordered separately.

<u>CLICK AXO-J2</u> – steel brackets with black plastic connectors for connecting chairs into rows, dedicated for all Axo chair versions, width adjustment in three positions.

CLICK AXO-J2-NRM – steel brackets with black plastic connectors for connecting chairs into rows with numbering application, dedicated for all Axo chair versions, width adjustment in three positions. Numbering to be ordered separately.

AXO NUMBERING – sticker with numbering or interchangeable magnetic numbering to be ordered separately.

UNIVERSAL ROW CONNECTOR

- dedicated to connect opposite rows of chairs,

- distance adjustment: 410–470 mm, fixing to the floor as an option.
- powder-coated in black colour (RAL9005).

2.2. Glides

Glides for soft floors as standard, glides with felt for hard floors (G17F) as an option.

Self-levelling glides for soft floors (G3) or with felt for hard floors (G3F), both as an option. Chair height is increased by approx. 20 mm.

Glides G3 and G3F are not applicable to AXO benches.

2.3. Seat and backrest

Wooden shell (0) – made of 7-layer beech plywood, thickness 10.5 mm

Laminated wooden shell (LL) – made of 7-layer beech plywood, thickness 10.5 mm. Visible plywood edges protected with wax.

Veneered wooden shell (FT) – made of 7-layer beech plywood, thickness 10.5 mm.

Wooden shell with upholstered seat pad (1) – the structure of seat pad is made of beech plywood, thickness 4.5 mm, covered with CFC-free PU cut foam, density approx. 25 kg/m³, thickness 12 mm.

Wooden shell with upholstered seat pad and backrest pad (2) – seat and backrest pad structure made of beech plywood, thickness 4.5 mm, covered with CFC-free PU cut foam, density approx. 25 kg/m³, thickness 12 mm. Seat dimensions: width 410 mm, depth 420 mm.

2.4. Armrests

Fixed armrests – armrest frame made of 0 11 mm steel rod always in the colour of chair frame or specified if ordered separately, armrest pad made of 10-layer beech plywood, thickness 14 mm.

Finish options/armrest pad: stained, laminated or veneered. Visible plywood edges protected with wax (laminated version).

2.5. Writing tablet

AXO WRITING TABLET – the structure of tablet top made of 7-layer playwood, thickness 10 mm. Writing tablet frame always in the colour of chair frame or specified if ordered separately. Finish options/tablet top: stained, laminated or

Finish options/tablet top: stained, laminated or veneered. Visible plywood edges protected with wax (laminated version).

Right hand version as standard, left hand version as an option.

3. Table

AXO TABLE – 4-leg base is made of Ø 22 × 2.5 mm steel tube, table top made of melamine faced chipboard with 2 mm ABS edge, thickness 18 mm. The table is equipped with clicks to link the tables into rows. Stacking up to 5 pieces.

4. Accessories

AXO CART – wooden in natural beech finish cart to transport stacked Axo chairs (max 10 pcs) and tables (max 5 pcs). All castors with rubber tires, 2 castors with manual brakes.

5. Packaging

Axo 10 - max. 4 pieces per box (assembled). Axo 11, 20, 21 - max. 3 pieces per box (assembled). Other - 1 piece per box (assembled).

6. Technical regulations, approvals and quality marks for the chairs (for selected product configurations)

GS Safety Certificate (applicable to AXO 10, 11, 40, 41, 50, 51).

Remodex (durability certificate) – approvals compliant with:

EN 14703, EN 13761, EN 1022 (applicable to Axo 10, 11, 20, 21), EN 13761, EN 1728, EN 1022, EN 15373 level 2 (applicable to AXO 40, 41, 50, 51).





OPTIONS - CONFERENCE CHAIRS

Options	
Wooden shell with upholstered seat pad	1
Wooden shell with upholstered seat pad and backrest pad	2
Laminated wood (shell, applicable to AXO 10)	LL*
Laminated wood (shell, arm pads, applicable to AXO11)	LL*
Laminated wood (shell, writing tablet top, applicable to AXO 20)	LL*
Laminated wood (shell, arm pad, writing tablet top, applicable to AXO21)	LL*
Veneered wood (shell, applicable to AXO 10)	FT**
Veneered wood (shell, arm pads, applicable to AXO11)	FT**
Veneered wood (shell, writing tablet top, applicable to AXO 20)	FT**
Veneered wood (shell, arm pad, writing tablet top, applicable to AXO21)	FT**
Writing tablet - left hand version (applicable to AXO 20 & AXO 21)	T/L
4-leg frame powder-coated in alu colour (all AXO versions)	Х
4-leg frame chromium plated (AXO 10)	Z
4-leg frame chromium plated (AXO 11 and AXO 20)	Z
4-leg frame chromium plated (AXO 21)	Z
Metal link integrated with frame for connecting chairs into rows (applicable to AXO 10)	J1
Metal link integrated with frame for connecting chairs into rows with space for numbering, numbering to be ordered separately (applicable to AXO 10)	J1-NRM
Metal link integrated with frame for connecting chairs into rows, width adjustment in three positions (applicable to AXO 10 and AXO 11)	J2***
Metal link integrated with frame for connecting chairs into rows, width adjustment in three positions with space for interchangeable numbering, numbering to be ordered separately (applicable to AXO 10 and AXO 11)	J2-NRM***
Interchangeable self-adhesive or magnetic numbering applicable to J1-NRM or J2-NRM (price per 1 piece)	NRM****
Glides with felt for hard floors	G17F
Self-levelling glides for soft floors	G3
Self-levelling glides with felt for hard floors	G3F

^{*}Please specify colour code of laminate - see finishes.

**Please specify colour code of veneer - see finishes.

***More linking opitions on page 422.

****Qty and type to be specified per order.



 $Apart\ from\ the\ product\ number/code,\ please\ specify\ options,\ upholstery\ and\ other\ finishes\ to\ complete\ an\ order$



PRICE LIST - CONFERENCE CHAIRS

Model	Description
410 68 68 490 490 490 490	Conference chair on 4-leg frame powder-coated in black colour (Y), no armrests (10) wooden shell (0), glides for soft floors.
AXO 11 410 420 68 420 60 60 60 60 60 60 60 60 60	Conference chair on 4-leg frame powder-coated in black colour (Y), with armrests (11), wooden shell (0), glides for soft floors.
AXO 20 250 715 560 500 500	Conference chair on 4-leg frame powder-coated in black colour (Y), right hand wooden writing tablet (20), wooden shell (0), glides for soft floors.
AXO 21 410 715 560 60 60 60 60 60 60 60 60	Conference chair on 4-leg frame powder-coated in black colour (Y), right hand wooden writing tablet and armrest (21), wooden shell (0), glides for soft floors.

^{*}Dimension measured in accordance with EN 16139 standard

Axo



OPTIONS - BENCHES

Options	Code
Wooden shell with upholstered seat pad (AXO 40, AXO 41)	1
Wooden shell with upholstered seat pad and backrest pad (AXO 40, AXO 41)	2
Wooden shell with upholstered seat pad (AXO 50, AXO 51)	1
Wooden shell with upholstered seat pad and backrest pad (AXO 50, AXO 51)	2
Laminated wood (shells, applicable to AXO 40)	LL*
Laminated wood (shells, arm pads, applicable to AXO 41)	LL*
Laminated wood (shells, applicable to AXO 50)	LL*
Laminated wood (shells, arm pads, applicable to AXO 51)	LL*
Veneered wood (shells, applicable to AXO 40)	FT**
Veneered wood (shells, arm pads, applicable to AXO 41)	FT**
Veneered wood (shells, applicable to AXO 50)	FT**
Veneered wood (shells, arm pads, applicable to AXO 51)	FT**
4-leg frame powder-coated in alu colour (all AXO bench models)	Х
4-leg frame chromium plated (AXO 40)	Z
4-leg frame chromium plated (AXO 41)	Z
4-leg frame chromium plated (AXO 50)	Z
4-leg frame chromium plated (AXO 51)	Z
Glides with felt for hard floors	G17F

^{*} Please specify colour code of laminate – see finishes. ** Please specify colour code of veneer – see finishes.



PRICE LIST - BENCHES

Model	Description
AXO 40 420 1020 500 503	Bench on 4-leg frame for 2 people (40), powder-coated frame in black colour (Y), wooden shells (0), glides for soft floors.
AXO 41	Bench on 4-leg frame, for 2 people (41), powder-coated frame in black colour (Y), armrests with wooden pads, wooden shells (0), glides for soft floors.
AX0 50 410 120 420 69 09 09 09 09 09 09 09 09 09 09 09 09 09	Bench on 4-leg frame for 3 people (50), powder-coated frame in black colour (Y), wooden shells (0), glides for soft floors.
AX0 51 1550 563 5	Bench on 4-leg frame, for 3 people (51), powder-coated frame in black colour (Y), armrests with wooden pads, wooden shells (0), glides for soft floors

^{*}Dimension measured in accordance with EN 16139 standard

Axo



OPTIONS - ADDITIONAL ELEMENTS

Options	Code
Wooden writing tablet, left hand version	T/L
Laminated writing tablet top	LL*
Laminated arm pad	LL*
Veneered writing tablet top	FT**
Veneered arm pad	FT**
Frame powder-coated in alu colour (table, writing tablet, armrest)	Х
Frame chromium plated (AXO table)	Z
Frame chromium plated (AXO writing tablet)	Z
Frame chromium plated (AXO armrest)	Z

^{*}Please specify colour code of laminate - see finishes. **Please specify colour code of veneer - see finishes.

 $Apart\ from\ the\ product\ number/code,\ please\ specify\ options,\ upholstery\ and\ other\ finishes\ to\ complete\ an\ order$



PRICE LIST - ADDITIONAL ELEMENTS

Model	Description
AXO TABLE	Table with 4-leg base, powder-coated in black colour (Y), 18 mm thick melamine table top with 2 mm ABS edge. The table is equipped with clicks to link the tables into rows. Stacking up to 5 pcs.
AXO WRITING TABLET -270 S S S S S S S S S S S S S	Wooden writing tablet, right hand version (T/R), powder-coated frame in black colour (Y).
AXO ARMREST 1 255	Symetrical armrest (right or left), powder-coated frame in black colour (Y), wooden pad, set of screws included.
AXO CART ORDER ORDER	Wooden cart (natural beech colour) dedicated for transporting stacked Axo chairs or tables. Castors for hard floors, 2 castors with manual brakes. Stacking on the cart: chairs – max 6 pcs, tables – max 20 pcs.
UNIVERSAL ROW CONNECTOR S22+60	Row distance adjustment (410–470 mm). Possible mounting to the floor. The connector is powder-coated in black colour (RAL9005).